



## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

SEAC-2016/C.R.424/TC-1 Environment department,  
Room No. 217, 2nd floor,  
Mantralaya, Annexe,  
Mumbai- 400 032.  
Date: April 24, 2017

To,  
**Proposed Intermediate and specialty chemicals (Synthetic organic chemicals) manufacturing unit for API by Galaxy Laboratories Pvt. Ltd. at Plot No. B-10, MIDC Newasa industrial area At Post. Tukai - Shingve, Taluka. Newasa Dist. Ahmednagar**  
at Plot No. B-10, MIDC Newasa industrial area At Post. Tukai - Shingve, Taluka. Newasa Dist. Ahmednagar

**Subject:** Environment Clearance for Proposed Intermediate and specialty chemicals (Synthetic organic chemicals) manufacturing unit for API by Galaxy Laboratories Pvt. Ltd. at Plot No. B-10, MIDC Newasa industrial area At Post. Shingve Tukai, Taluka. Newasa Dist. Ahmednagar

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 109th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 5 (f)- B as per EIA Notification 2006.

**Brief Information of the project submitted by you is as below :-**

1.Name of Project	Proposed Intermediate and specialty chemicals (Synthetic organic chemicals) manufacturing unit for API by Galaxy Laboratories Pvt. Ltd. at Plot No. B-10, MIDC Newasa industrial area At Post. Tukai - Shingve, Taluka. Newasa Dist. Ahmednagar
2.Type of institution	Private
3.Name of Project Proponent	Galaxy Laboratories Pvt. Ltd.
4.Name of Consultant	Aditya Environmental Services Pvt. Ltd.
5.Type of project	Not applicable
6.New project/expansion in existing project/modernization/diversification in existing project	New project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not applicable
8.Location of the project	Plot No. B-10, MIDC Newasa industrial area At Post. Tukai - Shingve, Taluka. Newasa Dist. Ahmednagar
9.Taluka	Newasa
10.Village	Shingvetukai
11.Area of the project	MIDC Newasa
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: MIDC plot plan approval Approved Built-up Area: 32716.67
13.Note on the initiated work (If applicable)	Not applicable.
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Not applicable
15.Total Plot Area (sq. m.)	48,400 sq.m
16.Deductions	Not applicable
17.Net Plot area	Not applicable
18.Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable Non FSI area (sq. m.): Not applicable Total BUA area (sq. m.): Not applicable
19.Total ground coverage (m2)	Not applicable

**SEIAA Meeting No: 109 Meeting Date: April 18, 2017 ( SEIAA-STATEMENT-000000093 )**  
**SEIAA-MINUTES-0000000036**  
**SEIAA-EC-0000000048**

Page 1 of 13

**Shri Satish.M.Gavai (Member Secretary SEIAA)**

20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	143000000




# Government of Maharashtra

## 22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Hydrogen Gas	250 Nm3/Hr	--	250 Nm3/Hr
2	Furfuraldehyde (Fufural)	--	50 TPM	50 TPM
3	Furfuryl Alcohol	--	30 TPM	30 TPM
4	Furfuryl Amine	--	40 TPM	40 TPM
5	Cyclohexenyl Ethyl Amine (CHEA)	--	10 TPM	10 TPM
6	Triclabendazole (Crude)	--	8.4 TPM	8.4 TPM
7	5-Chloro-4-Amino-2,1,3 Benzothiadiazole	--	2 TPM	2 TPM
8	2-Furoic Acid	--	5 TPM	5 TPM
9	Betaphenyl Ethyl Amine (BPEA)	--	20 TPM	20 TPM
10	Polly Allylamine Hydrochloride (PAAH)	--	13.5 TPM	13.5 TPM
11	Chlorohexanone (6-Chloro-2-Hexanone)	--	20 TPM	20 TPM
12	Furan	--	50 TPM	50 TPM
13	Spent acid (Byproduct)	--	42.5 TPM	42.5 TPM
14	Sodium hydrosulphide solution (Byproduct)	--	15.6 TPM	15.6 TPM
15	Potassium bromide salt solution (Byproduct)	--	185.5 TPM	185.5 TPM

## 23. Total Water Requirement


<b>Dry season:</b>	<b>Source of water</b>	Not applicable
	<b>Fresh water (CMD):</b>	Not applicable
	<b>Recycled water - Flushing (CMD):</b>	Not applicable
	<b>Recycled water - Gardening (CMD):</b>	Not applicable
	<b>Swimming pool make up (Cum):</b>	Not applicable
	<b>Total Water Requirement (CMD) :</b>	Not applicable
	<b>Fire fighting - Underground water tank (CMD):</b>	Not applicable
	<b>Fire fighting - Overhead water tank (CMD):</b>	Not applicable
	<b>Excess treated water</b>	Not applicable



<b>Wet season:</b>	<b>Source of water</b>	Not applicable
	<b>Fresh water (CMD):</b>	Not applicable
	<b>Recycled water - Flushing (CMD):</b>	Not applicable
	<b>Recycled water - Gardening (CMD):</b>	Not applicable
	<b>Swimming pool make up (Cum):</b>	Not applicable
	<b>Total Water Requirement (CMD) :</b>	Not applicable
	<b>Fire fighting - Underground water tank(CMD):</b>	Not applicable
	<b>Fire fighting - Overhead water tank(CMD):</b>	Not applicable
<b>Excess treated water</b>	Not applicable	
<b>Details of Swimming pool (If any)</b>	Not applicable	



# Government of Maharashtra




## 24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	1.8	26.2	28	0.36	2.64	3	1.44	23.56	25
Industrial Process	2.2	17.8	20	0	0	0	2.2	17.8	20
Cooling tower & thermopack	5	78	89	4.5	57.5	62	0.5	26.5	27
Gardening	9	19	28	9	19	28	0	0	0

<b>25.Rain Water Harvesting (RWH)</b>	<b>Level of the Ground water table:</b>	--
	<b>Size and no of RWH tank(s) and Quantity:</b>	1 no. of Storm water / rain water storage tank of 12 x 12.5 x 2 m of 302 KL capacity
	<b>Location of the RWH tank(s):</b>	Near main gate
	<b>Quantity of recharge pits:</b>	--
	<b>Size of recharge pits :</b>	--
	<b>Budgetary allocation (Capital cost) :</b>	10 Lakh
	<b>Budgetary allocation (O &amp; M cost) :</b>	1 Lakh per Annum
	<b>Details of UGT tanks if any :</b>	Not Applicable

<b>26.Storm water drainage</b>	<b>Natural water drainage pattern:</b>	--
	<b>Quantity of storm water:</b>	--
	<b>Size of SWD:</b>	--


<b>27.Sewage and Waste water</b>	<b>Sewage generation in KLD:</b>	25 cmd
	<b>STP technology:</b>	Not applicable. Sewage will be added in Aeration tank of Proposed Effluent treatment plant.
	<b>Capacity of STP (CMD):</b>	--
	<b>Location &amp; area of the STP:</b>	--
	<b>Budgetary allocation (Capital cost):</b>	--
	<b>Budgetary allocation (O &amp; M cost):</b>	--



## 28.Solid waste Management

<b>Waste generation in the Pre Construction and Construction phase:</b>	<b>Waste generation:</b>	Small quantity of debris will be generate.
	<b>Disposal of the construction waste debris:</b>	Construction waste debris will be reused for leveling of plot.
<b>Waste generation in the operation Phase:</b>	<b>Dry waste:</b>	Fly Ash- 1850 TPA
	<b>Wet waste:</b>	Spent corn cob- 5000 TPA
	<b>Hazardous waste:</b>	ETP sludge, Distillation residue, Distillation residue (chlorinated), Contaminated filters/ bags, Process residue (iron sludge), Spent catalyst, Spent charcoal, Contaminated Drums/ Barrels/ Liners,
	<b>Biomedical waste (If applicable):</b>	Not Applicable
	<b>STP Sludge (Dry sludge):</b>	Not Applicable
	<b>Others if any:</b>	Not Applicable
<b>Mode of Disposal of waste:</b>	<b>Dry waste:</b>	Fly ash will be sent to brick manufacturer / secured landfill.
	<b>Wet waste:</b>	Spent corn con will be burnt as fuel in boiler/ Thermic Fluid heater.
	<b>Hazardous waste:</b>	Hazardous waste will be disposed off as per Hazardous waste rule, 2016
	<b>Biomedical waste (If applicable):</b>	Not Applicable
	<b>STP Sludge (Dry sludge):</b>	Not Applicable
	<b>Others if any:</b>	Not Applicable
<b>Area requirement:</b>	<b>Location(s):</b>	Details given in EIA report.
	<b>Area for the storage of waste &amp; other material:</b>	Details given in EIA report.
	<b>Area for machinery:</b>	Details given in EIA report.
<b>Budgetary allocation (Capital cost and O&amp;M cost):</b>	<b>Capital cost:</b>	2 Lakh
	<b>O &amp; M cost:</b>	5 Lakh per Annum


# Government of Maharashtra



## 29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	--	6-9	6.5-9	6.5-9
2	Chemical Oxygen Demand	mg/L	2500-3000	<250	250
3	Biological Oxygen Demand	mg/L	1000-1500	<100	100
4	Total Dissolved Solids	mg/L	1100-1200	<2100	2100
5	Total Suspended Solids	mg/L	150-200	<100	100
6	Oil & Grease	mg/L	<10	<10	10
7	Chlorides	mg/L	250-300	<600	600
8	Sulphates	mg/L	250-300	<1000	1000
Amount of effluent generation (CMD):		72 cmd			
Capacity of the ETP:		75 cmd			
Amount of treated effluent recycled :		72 cmd			
Amount of water send to the CETP:		Not Applicable. Unit will maintain Zero Liquid Discharge facility.			
Membership of CETP (if require):		Not Applicable			
Note on ETP technology to be used		Pre-treatment tank > Oil & Grease trap > Collection tank > Neutralization tank > Pri. clarifier > Aeration tank > Sec. clarifier > Sand filter > Activated carbon filter > Treated water tank			
Disposal of the ETP sludge		ETP sludge will be sent to CHWTSDF facility.			

Government of  
Maharashtra



<b>30.Hazardous Waste Details</b>							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Chemical sludge from waste water treatment	35.3	TPA	0	30	30	CHWTSDF (landfill)
2	Distillation Residue	20.3	TPA	0	275	275	CHWTSDF/ Used as Fuel in Boiler
3	Distillation Residue (chlorinated)	20.3	TPA	0	25	25	CHWTSDF
4	Contaminated filter/ Bags	33.2	TPA	0	2	2	CHWTSDF (incineration)
5	Process residue (iron sludge)	28.1	TPA	0	45	45	CHWTSDF (landfill)
6	Spent Catalyst	28.2	TPA	0	225	225	CHWTSDF/ Authorized Recycler/ Return to manufacturer
7	Spent Charcoal	28.3	TPA	0	40	40	CHWTSDF/ Used as Fuel in Boiler
8	Contaminated Drums/ Barrels/ liners	33.1	Nos./A	0	500	500	MPCB authorized Drum recycler
<b>31.Stacks emission Details</b>							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	IBR Boiler (Existing)	Coal- 240 kg/day	1	30	--	--	
2	Reactor (Existing)	--	2	11	--	--	
3	320 KVA DG set (Existing)	HSD- 64 Lit/Hr	3	3.5	--	--	
4	3 TPH Boiler	15 TPD	4	30	0.6	180	
5	6 lakh kcal/hr Thermic Fluid Heater	1.7 TPD	5	30	0.35	240	
6	HCl Scrubber	--	6	18	--	Ambient temp.	
7	Ammonia scrubber	--	7	18	--	Ambient temp.	
8	H2S scrubber	--	8	18	--	Ambient temp.	
<b>32.Details of Fuel to be used</b>							
Serial Number	Type of Fuel	Existing	Proposed	Total			
1	Coal	0.24 TPD	15 TPD	15.24 TPD			
2	Furnace Oil	--	1.7 TPD	1.7 TPD			
3	HSD	64 Lit/Hr	--	64 Lit/Hr			
Source of Fuel		From nearby vendors					
Mode of Transportation of fuel to site		By Road					
<b>33.Energy</b>							



<b>Power requirement:</b>	<b>Source of power supply :</b>	Maharashtra State Electricity Distribution Co. Ltd
	<b>During Construction Phase: (Demand Load)</b>	320 KVA
	<b>DG set as Power back-up during construction phase</b>	320 KVA DG set (in case of emergency)
	<b>During Operation phase (Connected load):</b>	320 KVA
	<b>During Operation phase (Demand load):</b>	320 KVA
	<b>Transformer:</b>	Not Applicable
	<b>DG set as Power back-up during operation phase:</b>	320 KVA DG set (in case of emergency)
	<b>Fuel used:</b>	HSD: 64 Lit/Hr (in case of emergency)
	<b>Details of high tension line passing through the plot if any:</b>	Not Applicable

### 34. Energy saving by non-conventional method:

--

### 36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	--	--

### 37. Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air pollution (Boiler, Thermic Fluid Heater, Scrubber)	--	Dust collector / bag filter/ Adequate Stack height
Water Pollution (Effluent generation)	--	Effluent treatment plant
Noise pollution	--	Enclosure/ PPE
Solid & Hazardous waste	--	Disposed to CHWTSDF / Recycler

<b>Budgetary allocation (Capital cost and O&amp;M cost):</b>	<b>Capital cost:</b>	10 Lakhs
	<b>O &amp; M cost:</b>	--


### 38. Environmental Management plan Budgetary Allocation

#### a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	--	--	--

#### b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air	Air Pollution Control	20	2
2	Monitoring	Environment Monitoring	5	2



3	Water	Water Pollution Control	45	5
4	Solid waste	Hazardous waste & Solid waste management	2	5
5	Green Belt	Green Belt Development	2	3
6	Health & Safety	Occupational Health & Safety	--	2
7	CSR activities	Social welfare & upliftment	--	12
8	Other Green Initiatives	Rain Water Harvesting	10	1
9	Other Green Initiatives	Solar Power/LED	5	--
10	Other Green Initiatives	Energy Conservation	5	--


### 39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Methanol	Existing	within plot	4 Nos. each 15 KL	15 KL	132	Nearby source	By Road tanker
Hydrogen Gas	Existing	within plot	120 Nos. (2.49 Kg per cylinder)	299 Kg	--	Nearby source	Pipeline
Methanol	Proposed	within plot	1 Nos. 15 KL	15 KL	same as above	Nearby source	By Road tanker
Toluene	Proposed	within plot	2 Nos. each 15 KL	15 KL	1.4 TPM	Nearby source	By Road tanker
Furnace Oil	Proposed	within plot	1 No. 15 KL	15 KL	51	Nearby source	By Road tanker
Ammonia tonner	Proposed	within plot	1 No	--	12.3 TPM	Nearby source	By Road

### 40.Any Other Information

No Information Available

Government of  
Maharashtra



	<b>CRZ/ RRZ clearance obtain, if any:</b>	Not Applicable
	<b>Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries</b>	Not Applicable
	<b>Category as per schedule of EIA Notification sheet</b>	5 (f)- B
	<b>Court cases pending if any</b>	Not Applicable
	<b>Other Relevant Informations</b>	Not Applicable
	<b>Have you previously submitted Application online on MOEF Website.</b>	Yes
	<b>Date of online submission</b>	20-09-2016


**3. The proposal has been considered by SEIAA in its 109th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:**

**Specific Conditions:**

<b>I</b>	Consent to operate shall be granted by MPCB only if PP has installed Zero Liquid Discharge facility
----------	---


**General Conditions:**

<b>I</b>	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
<b>II</b>	3 TPH boiler should have stack height of 30m.
<b>III</b>	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
<b>IV</b>	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
<b>V</b>	Proper Housekeeping programmers shall be implemented.
<b>VI</b>	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
<b>VII</b>	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
<b>VIII</b>	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
<b>IX</b>	Arrangement shall be made that effluent and storm water does not get mixed.
<b>X</b>	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
<b>XI</b>	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
<b>XII</b>	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
<b>XIII</b>	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
<b>XIV</b>	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
<b>XV</b>	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
<b>XVI</b>	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
<b>XVII</b>	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
<b>XVIII</b>	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.



<b>XIX</b>	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
<b>XX</b>	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
<b>XXI</b>	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a>
<b>XXII</b>	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
<b>XXIII</b>	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
<b>XXIV</b>	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
<b>XXV</b>	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
<b>XXVI</b>	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

# Government of Maharashtra



4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.


6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Shri Satish.M.Gavai (Member Secretary SEIAA)

**Copy to:**

1. SHRI ANAND. B. KULKARNI, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI JOHNY JOSEPH, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MPCB AURANGABAD
9. REGIONAL OFFICE MIDC AURANGABAD
10. REGIONAL OFFICE MIDC NASHIK
11. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
12. COLLECTOR OFFICE AHMEDNAGAR

Government of  
Maharashtra

