



## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,  
Room No. 217, 2nd floor,  
Mantralaya, Annexe,  
Mumbai- 400 032.  
Date:October 29, 2018

To,  
**Galaxy Laboratories Pvt. Ltd.**  
at Plot No. B-10, MIDC Newasa, Ahmadnagar

**Subject:** Environment Clearance for Proposed expansion of existing Synthetic Organic chemicals manufacturing facility by Galaxy Laboratories Pvt. Ltd., Plot No. B-10, MIDC Newasa, Tukai- Shingve, Dist. Ahmadnagar

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 153rd A (Day-2)rd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 140th meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category 5 (f)- B as per EIA Notification 2006.

**Brief Information of the project submitted by you is as below :-**

1.Name of Project	Proposed expansion of existing Synthetic Organic chemicals manufacturing facility by Galaxy Laboratories Pvt. Ltd., Plot No. B-10, MIDC Newasa, Tukai- Shingve, Dist. Ahmadnagar
2.Type of institution	Private
3.Name of Project Proponent	Galaxy Laboratories Pvt. Ltd.
4.Name of Consultant	Aditya Environmental Services Pvt. Ltd.
5.Type of project	Industrial
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion in existing manufacturing facility
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Yes. Existing Environment clearance- EC letter No. SEIAA-EC-0000000048 dated 24th April 2017
8.Location of the project	Plot No. B-10, MIDC Newasa, Ahmadnagar
9.Taluka	Newasa
10.Village	Shigve tukai
Correspondence Name:	Mr. Shrikant Deshmukh
Room Number:	--
Floor:	--
Building Name:	--
Road/Street Name:	--
Locality:	Ahmednagar
City:	Ahmednagar
11.Whether in Corporation / Municipal / other area	MIDC Newasa
12.IOD/IOA/Concession/Plan Approval Number	MIDC approval IOD/IOA/Concession/Plan Approval Number: MIDC approval Approved Built-up Area: 17717.05
13.Note on the initiated work (If applicable)	Not applicable
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	MIDC plot plan approval
15.Total Plot Area (sq. m.)	48,400 sq.m
16.Deductions	Not applicable
17.Net Plot area	Not applicable

**SEIAA Meeting No: 140 Meeting Date: October 3, 2018 ( SEIAA-STATEMENT-000000799 )  
SEIAA-MINUTES-0000000665  
SEIAA-EC-0000000469**

Page 1 of 13

  
**Shri. Anil Diggikar (Member Secretary SEIAA)**

18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.):
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	--
21.Estimated cost of the project	0



# Government of Maharashtra

## 22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Hydrogen gas	250 Nm3/Hr	0	250 Nm3/Hr
2	Furfuraldehyde (Furfural)	50	0	50
3	Furfural alcohol	30	0	30
4	Furfuryl amine	40	0	40
5	Cyclohexenyl Ethyl amine (CHEA)	10	0	10
6	Triclabendazole (Crude)	8.4	0	8.4
7	5-Chloro-4-Amino-2,1,3 Benzothiadiazole	2	0	2
8	2-Furoic acid	5	0	5
9	Betaphenyl Ethyl Amine (BPEA)	20	0	20
10	Polly Allylamine Hydrochloride (PAAH)	13.5	0	13.5
11	Chlorohexanone (6-Chloro-2-Hexanone)	20	0	20
12	Furan	50	0	50
13	Cinnamyl alcohol	0	50	50
14	Phenyl Propanol	0	20	20
15	Allylamine	0	5	5
16	Anethole	0	20	20
17	Spent acid (By product)	42.5	0	42.5
18	Sodium hydrosulphide solution (By product)	15.6	31	46.6
19	Potassium bromide salt solution (By product)	185.5	0	185.5
20	Polyaluminium Chloride solution (PAC) (16% w/w of Al2O3) (By product)	0	135.75	135.75

## 23. Total Water Requirement

<b>Dry season:</b>	<b>Source of water</b>	MIDC
	<b>Fresh water (CMD):</b>	93 cmd (as per existing EC letter)
	<b>Recycled water - Flushing (CMD):</b>	--
	<b>Recycled water - Gardening (CMD):</b>	--
	<b>Swimming pool make up (Cum):</b>	--
	<b>Total Water Requirement (CMD) :</b>	165 cmd (Fresh water-93 cmd + Recycle water- 72 cmd) (as per existing EC letter)
	<b>Fire fighting - Underground water tank(CMD):</b>	--
	<b>Fire fighting - Overhead water tank(CMD):</b>	--
	<b>Excess treated water</b>	--

Wet season:	Source of water	--
	Fresh water (CMD):	--
	Recycled water - Flushing (CMD):	--
	Recycled water - Gardening (CMD):	--
	Swimming pool make up (Cum):	--
	Total Water Requirement (CMD) :	--
	Fire fighting - Underground water tank(CMD):	--
	Fire fighting - Overhead water tank(CMD):	--
Excess treated water	--	
Details of Swimming pool (If any)	--	



# Government of Maharashtra

## 24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	28	0	28	3	0	3	25	0	25
Industrial Process	20	0	20	0	0	0	20	0	20
Cooling tower & thermopack	89	0	89	62	0	62	27	0	27
Gardening	28	0	28	28	0	28	0	0	0

<b>25.Rain Water Harvesting (RWH)</b>	<b>Level of the Ground water table:</b>	--
	<b>Size and no of RWH tank(s) and Quantity:</b>	1 no. of RWH tank of 12 x 12.5 x 2 m of 302 KL capacity
	<b>Location of the RWH tank(s):</b>	Near main gate
	<b>Quantity of recharge pits:</b>	--
	<b>Size of recharge pits :</b>	--
	<b>Budgetary allocation (Capital cost) :</b>	10 Lakh as per existing EC
	<b>Budgetary allocation (O &amp; M cost) :</b>	1 Lakh per annum as per existing EC
	<b>Details of UGT tanks if any :</b>	Not applicable

<b>26.Storm water drainage</b>	<b>Natural water drainage pattern:</b>	--
	<b>Quantity of storm water:</b>	--
	<b>Size of SWD:</b>	--

<b>27.Sewage and Waste water</b>	<b>Sewage generation in KLD:</b>	25 cmd
	<b>STP technology:</b>	Not applicable. Sewage will be added in Aeration tank for treatment in existing ETP.
	<b>Capacity of STP (CMD):</b>	--
	<b>Location &amp; area of the STP:</b>	--
	<b>Budgetary allocation (Capital cost):</b>	--
	<b>Budgetary allocation (O &amp; M cost):</b>	--

## 28.Solid waste Management

<b>Waste generation in the Pre Construction and Construction phase:</b>	<b>Waste generation:</b>	Minor quantity of debris will be generate.
	<b>Disposal of the construction waste debris:</b>	Construction waste debris will be reused for levelling of plot.
<b>Waste generation in the operation Phase:</b>	<b>Dry waste:</b>	Fly ash- 1850 TPA, Spent corn cob- 5000 TPA
	<b>Wet waste:</b>	--
	<b>Hazardous waste:</b>	ETP sludge, Distillation Residue, Chlorinated Distillation Residue, Contaminated filter/ Bags, Process residue (iron sludge) , Spent Catalyst , Spent Charcoal, Contaminated Drums/ Barrels/ liners
	<b>Biomedical waste (If applicable):</b>	Not applicable
	<b>STP Sludge (Dry sludge):</b>	Not applicable
	<b>Others if any:</b>	Not applicable
<b>Mode of Disposal of waste:</b>	<b>Dry waste:</b>	Fly ash will be sent to brick manufacturer / secured landfill. Spent corn con will be burnt as fuel in boiler/ Thermic Fluid heater.
	<b>Wet waste:</b>	--
	<b>Hazardous waste:</b>	Hazardous waste will be disposed off as per Hazardous waste rule 2016.
	<b>Biomedical waste (If applicable):</b>	Not applicable
	<b>STP Sludge (Dry sludge):</b>	Not applicable
	<b>Others if any:</b>	Not applicable
<b>Area requirement:</b>	<b>Location(s):</b>	As per norms
	<b>Area for the storage of waste &amp; other material:</b>	As per norms
	<b>Area for machinery:</b>	--
<b>Budgetary allocation (Capital cost and O&amp;M cost):</b>	<b>Capital cost:</b>	2 lakh (as per existing EC)
	<b>O &amp; M cost:</b>	5 lakh pr annum (as per existing EC)

# Government of Maharashtra

## 29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	--	6-9	6.5-9	6.5-9
2	Chemical oxygen demand	mg/L	2500-3000	< 250	< 250
3	Biological oxygen demand	mg/L	1000-1500	<100	<100
4	Total Dissolved solids	mg/L	1100-1200	< 2100	2100
5	Total suspended solids	mg/L	150-200	< 100	100
6	Oil & Grease	mg/L	< 10	< 10	10
7	Chlorides	mg/L	250-300	< 600	600
8	Sulphates	mg/L	250-300	< 1000	< 1000
Amount of effluent generation (CMD):		72 cmd			
Capacity of the ETP:		75 cmd			
Amount of treated effluent recycled :		72 cmd			
Amount of water send to the CETP:		Not applicable. Unit will maintain ZERO LIQUID DISCHARGE FACILITY.			
Membership of CETP (if require):		Not applicable			
Note on ETP technology to be used		Pre- treatment tank > Oil & Grease trap > Collection tank > Fenton treatment > Neutralization tank > Pri. clarifier > Aeration tank > Sec. clarifier > Sand filter > Activated carbon filter > Treated water collection tank			
Disposal of the ETP sludge		Not applicable			


  
**Government of  
Maharashtra**

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Chemical sludge from waste water treatment	35.3	TPA	30	0	30	CHWTSDF
2	Distillation Residue	20.3	TPA	275	150	425	CHWTSDF/ Used as Fuel in Boiler
3	Distillation Residue (chlorinated)	20.3	TPA	25	0	25	CHWTSDF
4	Contaminated filter/ Bags	33.2	TPA	2	0	2	CHWTSDF
5	Process residue (iron sludge)	28.1	TPA	45	0	45	CHWTSDF
6	Spent Catalyst	28.2	TPA	225	20	245	CHWTSDF/ Authorized Recycler/ Return to manufacturer
7	Spent Charcoal	28.3	TPA	40	0	40	CHWTSDF/ Used as Fuel in Boiler
8	Contaminated Drums/ Barrels/ liners	33.1	Nos./A	500	300	800	MPCB authorized Drum recycler

### 31.Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Thermopac (Existing)	Coal- 240 kg/day	1	30	--	--
2	Reactor (Existing)	--	2	11	--	--
3	320 KVA DG set (Existing)	HSD- 64 Lit/Hr	3	3.5	--	150
4	3 TPH Boiler (Existing)	Coal- 15 TPD	4	30	0.6	180
5	6 lacKcal/Hr thermic fluid heater (Existing)	Furnace oil- 1.7 TPD	5	30	0.35	240
6	HCl scrubber (Existing)	--	6	18	--	ambient temp
7	Ammonia scrubber (Existing)	--	7	18	--	ambient temp
8	H2S scrubber (Existing)	--	8	18	--	ambient temp
9	320 KVA DG set (Proposed)	HSD- 64 Lit/Hr	9	3.5	--	150

### 32.Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	Coal	15.24 TPD	0	15.24 TPD
2	Furnace oil	1.7 TPD	0	1.7 TPD
3	HSD	64 Lit/Hr	64 Lit/Hr	128 Lit/Hr
Source of Fuel		From nearby vendors		
Mode of Transportation of fuel to site		By road		

### 33.Energy



<b>Power requirement:</b>	<b>Source of power supply :</b>	Maharashtra State Electricity Distribution Co. Ltd.
	<b>During Construction Phase: (Demand Load)</b>	320 KVA
	<b>DG set as Power back-up during construction phase</b>	320 KVA DG set (in case of emergency)
	<b>During Operation phase (Connected load):</b>	320 KVA
	<b>During Operation phase (Demand load):</b>	320 KVA
	<b>Transformer:</b>	Not applicable
	<b>DG set as Power back-up during operation phase:</b>	2 nos. of 320 KVA DG set (in case of emergency)
	<b>Fuel used:</b>	HSD: 64 Lit/Hr each DG set (in case of emergency)
	<b>Details of high tension line passing through the plot if any:</b>	Not applicable

### 34. Energy saving by non-conventional method:

--

### 36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	--	--

### 37. Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air pollution	Dust collector/ Bag filter & Adequate stack height	--
Water pollution	Effluent treatment plant	--
Solid & Hazardous waste	Disposed of to CHWTSDF/ Recyclr	--
Noise pollution	Enclosure/ PPE	--

<b>Budgetary allocation (Capital cost and O&amp;M cost):</b>	<b>Capital cost:</b>	10 Lakhs (as per existing EC)
	<b>O &amp; M cost:</b>	--

### 38. Environmental Management plan Budgetary Allocation

#### a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	--	--	--

#### b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air	Air Pollution Control (as per existing EC)	20	2
2	Monitoring	Environment Monitoring (as per existing EC)	5	2
3	Water	Water Pollution Control (as per existing EC)	45	5

4	Solid waste	Hazardous waste & Solid waste management (as per existing EC)	2	5
5	Green Belt	Green Belt development (as per existing EC)	2	3
6	Health & safety	Occupational health & safety (as per existing EC)	--	2
7	CSR activities	Social welfare & upliftment (as per existing EC)	--	12
8	Other Green Initiatives	Rain Water Harvesting (as per existing EC)	10	1
9	Other Green Initiatives	Solar Power/LED (as per existing EC)	5	--
10	Other Green Initiatives	Energy Conservation (as per existing EC)	5	--

### 39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Methanol	Existing	within plot	5 Nos. each 15 KL	75 KL	132	Nearby source	By road tanker
Hydrogen gas	Existing	within plot	120 Nos. (2.49 kg per cylinder)	299 Kg	3.5	Nearby source	Pipeline
Toluene	Existing	within plot	2 Nos. each 15 KL	30 KL	1.4	Nearby source	By road tanker
Furnace oil	Existing	within plot	1 Nos. of 15 KL	15 KL	51	Nearby source	By road tanker

### 40.Any Other Information

No Information Available

Government of  
Maharashtra

	<b>CRZ/ RRZ clearance obtain, if any:</b>	Not applicable
	<b>Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries</b>	Not applicable
	<b>Category as per schedule of EIA Notification sheet</b>	5 (f)- B
	<b>Court cases pending if any</b>	Not applicable
	<b>Other Relevant Informations</b>	Galaxy Laboratories Pvt. Ltd. applied for Environmental clearance for various products under Category 5(f)- B as per EIA notification, 2006, in October 2015 (Proposal No. SIA/MH/IND2/3422/2015) and received the Environmental clearance on 24th April 2017 vide EC letter No. SEIAA-EC-0000000048 from SEIAA, Maharashtra. We wish to increase our manufacturing capacity within existing facility. We request you to kindly allow us to re-use earlier Baseline monitoring data of Winter 2015-16 for Preparation of EIA report for Proposed expansion project as per MoEFCC OM no. J-11013/41/2006-IA-II (I) (Part) dated 29th August 2017. We request you to permit us as said above.
	<b>Have you previously submitted Application online on MOEF Website.</b>	Yes
	<b>Date of online submission</b>	16-12-2017

**3. The proposal has been considered by SEIAA in its 140th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:**

**Specific Conditions:**

<b>I</b>	PP to use briquettes as a fuel in the proposed plant. In case of non availability of briquette , PP may use coal having ash content less than 10%.
<b>II</b>	PP to prepare and implement CER plan in consultation with the District Authorities.
<b>III</b>	PP shall comply with the conditions mentioned with ANNEXURE XX of the Office Memorandum issued MoEF&CC vide F.No.22034/2018-IA.III dt. 09.08.2018.

**General Conditions:**

<b>I</b>	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
<b>II</b>	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
<b>III</b>	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
<b>IV</b>	Proper Housekeeping programmers shall be implemented.
<b>V</b>	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
<b>VI</b>	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
<b>VII</b>	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
<b>VIII</b>	Arrangement shall be made that effluent and storm water does not get mixed.
<b>IX</b>	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
<b>X</b>	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
<b>XI</b>	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
<b>XII</b>	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
<b>XIII</b>	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.

XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a>
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

# Government of Maharashtra

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Shri. Anil Diggikar (Member Secretary SEIAA)

**Copy to:**

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. REGIONAL OFFICE MPCB NASHIK
10. REGIONAL OFFICE MIDC NASHIK
11. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
12. COLLECTOR OFFICE AHMEDNAGAR
13. COLLECTOR OFFICE JALGAON
14. COLLECTOR OFFICE DHULE
15. COLLECTOR OFFICE NANDURBAR
16. COLLECTOR OFFICE NASHIK

Government of  
Maharashtra